



Sitefox Surveying and Testing Ltd.

Address: 102-5792 203st, Langley, BC, V3A1W3
Toll Free Phone: (833) 748-3369 (SITEFOX)
Local: (778) 288-0410
Email: info@sitefox.ca

JOB NAME : Sample Job Name ADDRESS : 123 Any Street
CLIENT: Sample Client JOB NUMBER : Internal Job Number DATE: MMM DD, YYYY

SITE VARIABLES

Square feet of Area 11500 NOTES:
Grid Size (ft) : 9
Benchmark Adj (+) :
Orientation: North

ACTUAL ELEVATIONS OF SLAB (cm)

	C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16	C17	C18	C19	C20	C21	C22	C23	C24	C25
R1	-0.80	-1.80	-0.70																						
R2	-0.90	-0.90	-1.15	-1.50	-1.10	-2.10	-1.50	-2.10	-0.50																
R3	-2.00	-2.30	-2.70	-3.00	-1.00	-0.50	-1.90	-1.10	-1.40																
R4	-2.10	-2.65	-3.00	-3.10	-0.70	-0.60	-2.00	-1.90	-1.30																
R5	-3.10	-2.30	-2.90	-3.50	-2.30	-2.10	-2.15	-1.30	-0.65																
R6	-0.65	-2.15	-3.40	-3.10	-2.00	-2.10	-1.65	-0.55	-0.60																
R7	-1.80	-2.25	-2.90	-2.60	-2.10	-3.10	-2.30																		
R8	-3.00	-3.25	-3.20	-3.40	-1.30	-2.50	-2.50	-2.25	-3.10	-4.20	-4.50	-4.40	-5.00	-3.90	-4.90										
R9	-3.40	-3.00	-3.50	-3.25	-1.50	-1.80	-3.30	-2.40	-3.10	-3.70	-3.40	-4.00	-5.10	-3.80	-4.25										
R10	-3.20	-4.30	-3.60	-2.90	-1.10	-2.10	-2.80	-2.30	-2.70	-1.40	-2.10	-2.60	-2.60	-2.50	-3.20	-3.10	-3.60	-3.30							
R11	-2.20	-2.60	-2.90	-3.80	-1.80	-3.00	-3.40	-3.60	-2.90	-2.10	-3.10	-5.10	-3.10	-3.30											
R12	-0.60	-1.80	-2.50	-2.90	-2.40	-4.10	-3.50	-3.00	-3.40	-3.40	-4.20	-4.10	-3.60	-3.90											
R13	-2.25	-3.10	-2.40	-2.50	-2.25	-3.40	-3.70	-3.10	-3.50	-3.30	-4.50	-4.80	-3.90	-4.20											
R14	-1.80	-2.10	-2.00	-2.25	-1.25	-2.40	-2.10			-3.70	-3.10	-4.10	-3.40	-3.55											
R15																									
R16																									
R17																									
R18																									
R19																									
R20																									

CALCULATED ADJUSTED BENCHMARK ELEVATIONS (cm)

FOR OFFICE AND INSTALLER USE ONLY (RED VALUES INDICATE AREAS TO BE FILLED, AND BLACK VALUES INDICATE AREAS TO BE GRINDED)

	C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16	C17	C18	C19	C20	C21	C22	C23	C24	C25
R1	0.05	1.05	0.05	-	-	0.25	0.25	0.05	0.15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R2	0.15	0.15	0.40	0.75	0.35	1.35	0.75	1.35	0.25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R3	1.25	1.55	1.95	2.25	0.25	0.25	1.15	0.35	0.65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R4	1.35	1.90	2.25	2.35	0.05	0.15	1.25	1.15	0.55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R5	2.35	1.55	2.15	2.75	1.55	1.35	1.40	0.55	0.10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R6	0.10	1.40	2.65	2.35	1.25	1.35	0.90	0.20	0.15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R7	1.05	1.50	2.15	1.85	1.35	2.35	1.55	-	-	-	2.15	2.75	2.40	3.15	4.55	-	-	-	-	-	-	-	-	-	-
R8	2.25	2.50	2.45	2.65	0.55	1.75	1.75	1.50	2.35	3.45	3.75	3.65	4.25	3.15	4.15	-	-	-	-	-	-	-	-	-	-
R9	2.65	2.25	2.75	2.50	0.75	1.05	2.55	1.65	2.35	2.95	2.65	3.25	4.35	3.05	3.50	-	-	-	-	-	-	-	-	-	-
R10	2.45	3.55	2.85	2.15	0.35	1.35	2.05	1.55	1.95	0.65	1.35	1.85	1.85	1.75	2.45	2.35	2.85	2.55	-	-	-	-	-	-	-
R11	1.45	1.85	2.15	3.05	1.05	2.25	2.65	2.85	2.15	1.35	2.35	4.35	2.35	2.55	-	-	2.85	2.35	-	-	-	-	-	-	-
R12	0.15	1.05	1.75	2.15	1.65	3.35	2.75	2.25	2.65	2.65	3.45	3.35	2.85	3.15	-	-	3.05	2.75	-	-	-	-	-	-	-
R13	1.50	2.35	1.65	1.75	1.50	2.65	2.95	2.35	2.75	2.55	3.75	4.05	3.15	3.45	-	-	2.95	2.95	-	-	-	-	-	-	-
R14	1.05	1.35	1.25	1.50	0.50	1.65	1.35	-	-	2.95	2.35	3.35	2.65	2.80	-	-	2.50	2.65	-	-	-	-	-	-	-
R15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TOTAL AVERAGE

(-cm) (-ln) (-fraction)
Average -1.9293 -0.7596 - 6/8
Grid Accuracy Variable -0.1736 -0.09 - 1/11
Total Average Required -2.1029 -0.8496 - 7/8

Square feet

11500

Ave thickness @ 1/8" incr. -1/8 -1/4 -3/8 -1/2 -5/8 -3/4 -7/8 -1 -1 1/8 -1 1/4 1 3/8 -1 1/2 -1 5/8 -1 3/4 -1 7/8 -2 -2 1/8 -2 1/4 -2 3/8 -2 1/2 -2 5/8 -2 3/4 -2 7/8 -3
50 lb Bags 240 479 639 958 1095 1278 1575 1917 2158 2396 2556 2875 3010 3194 3485 3833 4078 4323 4475 4792 4927 5111 5407 5750

Tolerance
Bags Required for tolerance - - - 1078 1168 1258 1575 - - - - - - - - - - - - - - -

Recommended

Survey Technologist: Technologist Ph. (778) 288.0410 Email: info@sitefox.ca





